



**2019**  
NEW  
PRODUCT

# aurender A30

Caching Music Server / Streamer / CD Ripper  
HDD Storage / Full Decoder MQA DAC / Headphone Amplifier

A30 is the flagship model from Aurender's range of analog output digital music players. Like A10 and A100, A30 is, at its essence, a caching music server / streamer with internal storage with control via Aurender Conductor. The Aurender A30 also includes full decoder MQA technology which enables you to play back MQA audio files and streams, delivering the highest possible sound quality of the original master recording. What distinguishes A30 from the others is the pure audio performance and exhaustive feature set. Aurender have designed A30 to be the comprehensive digital focal point of your system providing useful aides not usually associated with typical music servers. Features like CD ripping, a high-quality headphone amplifier, 10TB of internal storage, ultra-wide color LCD display and an integrated software suite of metadata editing and library management tools. All this, and much more, make the A30 the new performance standard in all-in-one digital source components.

 aurender

 aurender  
Conductor App

 TIDAL

 MQA

 qobuz

# A30

Caching Music Server / Streamer / CD Ripper  
HDD Storage / Full Decoder MQA DAC / Headphone Amplifier

## FEATURES

- Slot-loading, industrial-grade CD-ROM drive for ripping CDs in your choice of FLAC, WAV, or AIFF codecs.
- One-touch CD Ripping with metadata and cover art retrieval.
- Ultra-Wide 8.8" color IPS LCD display provides album art view when ripping and all system data on functions when in use.
- File storage on single 10TB 3.5" enterprise-grade HDD.
- 480GB SSD cache. 8GB (DDR3) for system memory.
- Support for Network Attached (NAS) and USB Storage.
- Dual-Mono DAC with Dual-Mono Linear Power Supplies. 768kHz/32bit Next-Generation Flagship AKM AK4497 DAC Chipset.
- Full Decoder MQA DAC.
- Sampling rates: PCM up to 768kHz/32bit. DSD up to 256 DoP. Native DSD up to 512.
- Discrete Linear Power Supply with "Super Capacitor" based Uninterruptible Power Supply (UPS) for stabilizing unit under an abrupt power outage condition.
- FPGA-based Precision Data Re-Clocking System with sub 100fs world-class jitter-reducing clock generator.
- Headphone amplifier with three jacks (1 x 4pin XLR and 1 x 4.4mm Balanced / 1 x 1/4" Unbalanced).
- Five Individual Toroidal Power Transformers for Server / Digital / Dual DACs / Headphone Amplifier.
- Balanced (XLR) and Unbalanced (RCA) Audio Outputs.
- Volume adjustment from Conductor App, IR remote control or front panel rotary knob.
- Dedicated USB Audio Output with Ultra Low-Noise Power Circuitry.
- Dedicated A30 Manager iPad App for metadata editing and library management. iPad for computer-less library management. Tools like Smart Tag Editor, Copy / Move / Delete, and Duplicate Checker give unprecedented control over your digital music library.
- Smart Copy feature allows for easy transfer of music libraries from other network attached devices and can perform duplicate file removal.
- One Double-Isolated Gigabit Ethernet Port for connection to router.
- Two USB 3.0 Data Ports.
- Software support for Acronova Nimble AutoLoader (optional) for automated cd ripping.



The Aurender approach has always emphasized custom integration of software and hardware. When these two elements are indivisible and engineered together in-house, we achieve exceptional stability, reliability and overall predicability of operation. This approach is key to Aurender and sets our products apart from the old-fashioned way of running music software on a computer or powerful processor and using IT peripherals for storage and other purposes.


Control and music management for all Aurender models is via the Conductor App, hailed by users and reviewers alike for its performance and intuitive operation. The iPad-based App was developed in-house with managing large music databases in mind, providing exceptionally fast browsing and searching of your favorite music.

In-app TIDAL and Qobuz integration provides access to these subscription-based services and to the millions of tracks available in CD quality or better. And internet radio access is supported as well.

A separate app, A30 Manager, equips A30 with software programs for metadata editing and digital file management allowing the user to combine, organize and correct metadata in the way you desire.

For peace of mind, remote Technical Support is accessible via the Aurender Conductor Application.







Inside-top

Inside-bottom

- OCXO
- FPGA
- AK4497
- 10TB HDD
- Slot-Load CD-ROM Drive



- Super Cap for UPS
- Audio USB
- Intel CPU & M.2 NVME
- Toroidal Power Transformer
- Toroidal Power Transformers



## A30 SPECIFICATIONS

SSD for System and Cache	480G M.2 NVMe
CPU	Intel N4200 Quad Core
Music Storage	10TB (3.5" 10TB HDD x 1)
Power Supply	Full-Linear
Display	8.8" 1920 x 480 WIDE IPS LCD
Clock Structure	Revised Full Differential System
Main Clock Accuracy	OCXO Based Precision Jitter Reducing Clock Generator
Audio Dedicated USB Port	1 x USB AUDIO Class 2.0
Digital Audio Inputs	1 x RCA SPDIF / 1 x BNC SPDIF / 2 x TOSLINK up to 24-bit / 192 kHz
Data USB	2 x USB 3.0 ( Rear )
Ethernet	1 x Double-Isolated Gigabit Ethernet
Analog Audio Outputs	Unbalanced (RCA): 2 or (2.7) Vrms / Balanced (XLR): 4 or (5.4) Vrms selectable
Headphone Outputs	1 x 4 pin XLR Balanced / 1 x 4.4mm Balanced / 1 x 1/4in Unbalanced
Volume Control	-90 dB – 0dB, 0.5 dB step, Velocity Sensitive Operation Variable output control from front panel rotary knob, Conductor App and supplied IR remote control when used as preamplifier
USB Audio Output	PCM: Up to 32bit / 768kHz DSD: DoP Up to 256, Native DSD Up to 512
DAC Chipset	AKM AK4497 Dual-Mono Design
CD Ripping	TEAC Slot-Load CD-ROM Drive. Automated ripping support for Arconova Nimbie Autoloader via USB 3.0 port (optional)
Internal UPS	Super Capacitor Based Internal UPS
Dimensions (WHD) & Weight	16.93 x 5.6 x 14.0 in., 37.5 lbs. 430 x 141 x 355 mm 37.5 lbs., 17 Kg